



ATF

The pictures have merely explanatory purposes and can be changed with no warning

**ATF
X-DRIVE**

02.023.65

MADE IN ITALY


**ATF
S-DRIVE 5000 SW**

02.023.53

MADE IN ITALY


**ATF
S-DRIVE 4500 SW**

02.023.90

MADE IN ITALY


**ATF
START SW**

02.023.60

MADE IN ITALY


**ATF
RÈMIN SW**

02.023.57

MADE IN ITALY



The pictures have merely explanatory purposes and can be changed without warning.

					
	X-DRIVE cod. 02.023.65	S-DRIVE 4500 SW cod. 02.023.90	S-DRIVE 5000 SW cod. 02.023.53	ATF START SW cod. 02.023.60	ATF RÈMIN SW cod. 02.023.57
TECHNICAL FEATURES					
Color touch display 5"	Tablet 8" 4G Wi-Fi	✓ 5"	✓ 5"	-	-
Monochromatic graphic display 240x64	-	-	-	✓	-
Software with icons easy to use	✓	✓	✓	✓	-
Multilingual software	✓	✓	✓	✓	-
Pump	1	1	2	1	1
Oil Measurement: 2 electronic scales	✓	✓	✓	✓	visual
Gearbox's outlet oil pressure measurement	✓	✓	✓	✓	✓
ATF's outlet oil pressure measurement	✓	-	✓	-	-
AWS function: Automatic new oil specific weight correction	✓	✓	✓	manual	-
Automatic Warm-Up function (starting of the automatic cycle upon reaching the min. optimal temperature)	✓	✓	✓	-	-
Washing of the new oil suction circuit	✓	✓	✓	-	-
Measurement of the waste oil temperature	✓	✓	✓	✓	-
Dipstick kit	-	-	✓	-	optional
Automatic additive injection	✓	✓	✓	guided manual	guided manual
Possibility to operate in automatic or manual mode	✓	✓	✓	semi-automatic	manual
Input flow reduction regulator (built-in)	✓	-	-	-	-
Integrated diagnosis with messages and related guide for the service	✓	-	-	-	-
Dual 12V DC and 220V AC power supply with low battery alarm and automatic power source recognition	✓	-	-	-	-
Software and database updatable via USB	WiFi	✓	✓	-	-
Flowmeters (old/new)	✓ backlight	✓ backlight	✓ backlight	transparent hoses, 3 mt	✓
New and waste oil tanks	2 x 20lt	2 x 20lt	2 x 30lt	2 x 20lt	2x20lt
New sintered reusable filter with magnet	✓ 2 filters	✓ 2 filters	✓ 2 filters	✓ 2 filters	✓ 2 filters
2 cases of couplings and hoses for European and Asiatic vehicles	✓	✓	✓	✓	v
Printer	✓	Optional	✓	Optional	-
Kit SmartPack (subscription for 12 months)	✓	✓	✓	✓	✓
Software for power steering oil change with optional adapters	-	✓	✓	-	-
Integrated database with brand, version, number of ratios, gearbox type, oil quantity, oil code; the connection to be used and the oil type/brand can be inserted manually by the operator	✓	✓	✓	-	-
Oil flow hose inversion	Automatic (internal)	Built-In	Built-In	Built-In	Built-In
Dimensions, mm	620x520x1210	360x440x1120	610x440x1120	620x510x1000	470x420x1020
Weight	75 kg	45 kg	45 kg	55 kg	50 kg

The pictures have merely explanatory purposes and can be changed with no warning

STANDARD ACCESSORIES

SmartPack Atf

ONLINE DATA BASE

NEW!
2021

Online **DATA BASE** with technical information on automatic transmissions (diagrams, photos, location of fittings, etc.)



NOTE:

SMART PACK is provided free of charge with the purchase of an ATF SPIN and is valid for 12 months from the first activation. The renewal of the paid service is reserved for customers who have purchased an ATF SPIN.

Atf Adapters

STANDARD ACCESSORIES

DOUBLE SEAL FITTINGS


						
Cod. 02.022.52/new VOLVO V50	Cod. 02.022.33/new JAP/MB/LANCIA	Cod. 02.022.30/new JAP/BMW	Cod. 02.022.31/new JAP/GM	Cod. 02.022.32/new JAP/GM	Cod. 02.022.29/new JAP/ALFA ROMEO	Cod. 02.022.34/new JAP/VOLVO
						
Cod. 02.022.21/new DSG	Cod. 02.022.11/new AISIN	Cod. 02.022.79/new JAP/MB/HUMMER/JEEP	Cod. 02.022.84/new JAP/M14X1,5	Cod. 02.022.37/new JAP/CITROEN/LANCIA	Cod. 02.022.81/new JAP/1/8G	Cod. 02.022.44/new BMW/MERCEDES 2001
						
Cod. 02.022.59/new BMW 8 MARCE/8 GEARS	Cod. 02.022.98/new BMW 8 HP 2F	Cod. 02.022.07/.18/.45/ new BMW 2010	Cod. 02.022.09/new BMW 3 SERIES	Cod. 02.022.18/new OPEL INSIGNA	Cod. 02.022.63/new VW TIGUAN/PORSCHE 911	Cod. 02.022.13/new AUDI Q5/Q7
						
Cod. 02.022.85/new DIPSTICK	Cod. 05.090.02 MERCEDES BENZ 96 - TRONIC	Hoses for general applications		Hoses for general applications		
		Cod. 02.022.25/new (ø 8) x 2	Cod. 02.022.26/new (ø 10)	Cod. 02.022.27/new (ø 12)	Cod. 02.022.28/new (ø 14)	

The pictures have merely explanatory purposes and can be changed with no warning



NEW!
2021



ATF X-Drive

Cod. 02.023.65

€ 5.950,00

Oil Exchanger for Automatic Transmissions with the removable 8" Tablet for the remote control of functions (Bluetooth)

- 8" 4G Wi-Fi Tablet
- Direct consultation of the database online (by 4G or Wi-Fi)
- Remote control of functions and monitoring of ongoing operations via the ATF's removable tablet
- Guided information for the user
- Integrated database
- Automatic oil flow recognition and inversion (electronically)
- Input flow reduction regulator (built-in)
- Integrated diagnosis with messages and related guide for the service
- Improved procedure for replacing new oil tank (other tanks on request)
- Guided functions for manual procedure
- Funzioni guidate for radiator washing procedure and filter replacement
- Specific procedure for DSG
- Dual 12V DC and 220V AC power supply with low battery alarm and automatic power source recognition
- Printer included
- Direct access to waste oil for pan emptying
- Kit of fittings and hoses for European and Asian cars



The pictures have merely explanatory purposes and can be changed with no warning



Home Page




Automatic cycle



Manual cycle




Washing




Recycling



Utility



Data Base



Online Data Base

The pictures have merely explanatory purposes and can be changed with no warning



- **A:** 5" color touch display
- **A:** Gearbox outlet oil pressure measurement
- **A:** ATF's outlet oil pressure measurement
- **B:** Multilingual software
- **C:** AWS function: Automatic new oil Weight Set
- **D:** Funzione warm-up automatico (avvio del ciclo automatico al raggiungimento della temperatura minima ottimale)
- **Integrated oil flow inversion system** **NEW!**
- **E:** Washing of the new oil suction circuit
- **F:** Dipstick kit
- **G:** Automatic additive injection
- **H:** Possibility to operate in automatic or manual mode
- **I:** Software and database updatable via USB
- **J:** Flowmeters with backlight (old/new)
- **K:** New and waste oil tanks
- **L:** 2 new sintered reusable filters with magnet **NEW!**
- **M:** Kit of couplings and hoses for European and Asiatic vehicles included
- **N:** Printer
- **O:** **SmartPack** (12 months of free access to the online Database)
- **P:** Software for power steering oil change
- **Q:** Integrated database with brand, version, number of ratios, gearbox type, oil quantity, oil code
- WiFi module for data transmission / reception - kit 01.000.328 on request*

ATF S-Drive 5000 SW
Cod. 02.023.53

€ 5.560,00



MADE IN ITALY

SPIN CONNECT 4.0

Built-in WiFi module + SD Card
Cod. 01.000.328*



€ 242,00

*to be ordered at the same time as the ATF station

**COMING
SOON...**

S-DRIVE 5000 SW

A



B




G




M



C



H



D



I



N



E



J



O



F




K



P



L



Q



- **A:** Color touch display 5"
- **A:** Gearbox outlet oil pressure measurement
- **B:** Multilingual software
- **C:** AWS function: Automatic new oil Weight Set
- **D:** Funzione warm-up automatico (avvio del ciclo automatico al raggiungimento della temperatura minima ottimale)
- **Integrated oil flow inversion system** **NEW!**
- **E:** Washing of the new oil suction circuit
- **F:** 2 new sintered reusable filters with magnet **NEW!**
- **G:** Automatic additive injection
- **H:** Possibility to operate in automatic or manual mode
- **I:** Software and database updatable via USB
- **J:** Flowmeters with backlight (old/new)
- **K:** New and waste oil tanks
- **L:** Kit of couplings and hoses for European and Asiatic vehicles included
- **M:** **SmartPack** (12 months of free access to the online Database)
- **N:** Software for power steering oil change
- **O:** Integrated database with brand, version, number of ratios, gearbox type, oil quantity, oil code
- WiFi module for data transmission / reception - kit 01.000.328 on request*

SPIN CONNECT 4.0

Built-in WiFi module + SD Card
Cod. 01.000.328*



€ 242,00

*to be ordered at the same time as the ATF station

COMING
SOON...

ATF S-Drive 4500 SW
Cod. 02.023.90

€ 4.560,00



MADE IN ITALY

S-DRIVE 4500 SW


A



B



G




C




H



L



D



I



M



E



J




N



F



K



O

The pictures have merely explanatory purposes and can be changed with no warning



- **A:** Graphic display 240x64
- **A:** Control keyboard with only 4 buttons
- **A:** User-friendly software with icons
- Intuitive software that adapts to different operation mode of the workshop
- **B:** Multilingual software (22 languages)
- **A:** Measurement of the return pressure
- **C:** Selection of the oil specific weight (kg/lt)
- 2 electronic scales
- 1 pump, 220V50Hz (110V60Hz on request)
- Measurement of the oil temperature
- **D:** Possibility to operate in manual or full automatic mode
- **E:** Protection against overpressure with "automatic recirculation" at the beginning or end of charge
- **F:** Automatic length compensation of the hoses
- **G:** Possibility to update the software
- **H:** Manual additive injection
- **I: Automatic hose inversion** **NEW!**
- **J:** Transparent hoses for the oil flow control
- **K:** Case of couplings and hoses for European and Asiatic vehicles
- **L:** Removable new/old oil tanks, capacity 20lt
- **M:** 2 sintered magnetic filters (reusable) **NEW!**
- **N:** Optional printer
- **O:** **SmartPack** (12 months of free access to the online Database)






ATF START SW

Cod. 02.023.60

€ 3.800,00


MADE IN ITALY

ATF START SW



The pictures have merely explanatory purposes and can be changed with no warning

Atf RÉMIN

manual

- **A:** Control panel with used oil pressure gauge, taps/phase switches and flowmeters
- **B:** Kit of couplings and hoses for European and Asiatic vehicles (standard included)
- **C: SmartPack** (12 months of free access to the online Database)
- **D:** 500ml additive injector with protection against operational errors
- **E: Automatic hose inversion** **NEW!**
- **F:** 20 liter removable oil containers for new/used oil
- **G:** 2 sintered magnetic filters (reusable) **NEW!**
- **H:** Magnetic litre-counters: Useful for visual control of the levels (used oil, new oil)
- **I:** Facilitated use of the appliance



MADE IN ITALY




ATF RÉMIN SW

Cod. 02.023.57

€ 2.800,00

ATF RÉMIN SPIN USER'S GUIDE					
	A	B	C	ATF PUMP	CAR ENGINE
VERIFY THE PRESSURE PRESENCE ON THE GAUGE				OFF	ON
ADDITIVE INJECTION				ON	OFF
CLEANING				OFF	ON
EMPTY THE OIL PAN				OFF	ON
REMOVE THE OIL PAN				OFF	OFF
RADIATOR CLEANING				ON	OFF
FILTER CHANGE & OIL PAN REMOUNT				OFF	OFF
FILL THE PAN WITH NEW OIL				ON	OFF
OIL CHANGE IN THE TORQUE CONVERTER ADJUST SLOWLY THE TAP				ON	ON
RESTORE THE CONNECTION				OFF	OFF
OIL LEVEL CONTROL A				ON	OFF
USED OIL DISCHARGE A				ON	OFF

ATF RÈMIN SW



The pictures have merely explanatory purposes and can be changed with no warning

STANDARD COUPLINGS, INCLUDED IN THE FOLLOWING MODELS:
ATF XDRIVE • ATF 5000 • ATF 4500 • ATF START • ATF REMIN
DOUBLE SEAL FITTINGS


Cod. 02.022.11/new AISIN (Fiat Croma, Lancia Thesis, Renault Espace, Citroen C5/C3)		Cod. 02.022.21/new DSG		Cod. 02.022.52/new VOLVO V50	
cod. 02.022.59/new BMW 8 MARCE/8 GEARS		cod. 02.022.98/new BMW 8 HP ZF		cod. 02.022.85/new DIPSTICK	
cod. 05.090.82 MERCEDES BENZ 9G - TRONIC		Tool for draining and top up of oil in automatic gearboxes			
cod. 02.022.33/new JAP/MB/LANCIA	cod. 02.022.30/new JAP/BMW	cod. 02.022.31/new JAP/GM	cod. 02.022.32/new JAP/GM	cod. 02.022.29/new JAP/ALFA ROMEO	cod. 02.022.34/new JAP/VOLVO
cod. 02.022.79/new JAP/MB/HUMMER/JEEP	cod. 02.022.84/new JAP/M14X1,5	cod. 02.022.37/new JAP/CITROEN/LANCIA	cod. 02.022.81/new JAP/1/8G	cod. 02.022.44/new BMW/MERCEDES 2001	cod. 02.022.80/new JAP/RUBBER HOSE FITTING
cod. 02.022.07/.78/.45/new BMW 2010	cod. 02.022.09/new BMW 3 SERIES	cod. 02.022.18/new OPEL INSIGNA	cod. 02.022.63/new VW TIGUAN/PORSCHE 911	cod. 02.022.13/new AUDI Q5/Q7	cod. 02.022.99/new FIAT 500 X ZF
Hoses for general applications		Hoses for general applications			
cod. 02.022.25/new (ø 8) x 2		cod. 02.022.26/new (ø 10)		cod. 02.022.27/new (ø 12)	

SMART PACK ATF
Cod. 02.022.110
€ 180,⁰⁰

Online **DATA BASE** with technical information on automatic transmissions (diagrams, photos, location of fittings, etc.)

NEW!
2021



NOTE:

SMART PACK is provided free of charge with the purchase of an ATF SPIN and is valid for 12 months from the first activation. The renewal of the paid service is reserved for customers who have purchased an ATF SPIN.

OPTIONAL ACCESSORIES



Cod. 02.000.62
Kit for **USA/Japan vehicles**
(Ford, Cadillac, Toyota, Nissan, Chrysler
Jeep, GM, Dodge, Honda, Chevrolet, Chevy
Duramax)

€ 505,⁰⁰



Cod. 02.022.66
Oil level refiller

€ 54,⁰⁰



Cod. 02.022.04
Kit 2 oil level dipstick
Mercedes A-Class & C-Class

€ 55,⁰⁰



Cod. 05.090.82
Tool for draining and top up of oil in
automatic gearboxes of **Mercedes Benz**
9G - Tronic

€ 32,⁰⁰



Cod. 05.088.21
Service trolley for ATF accessories

€ 84,⁰⁰

The pictures have merely explanatory purposes and can be changed with no warning

Optional ATF adapters

* 02.022.21/new		DSG	€ 80, ⁰⁰	02.022.88/new		Porsche Cayenne / VW Touareg / Audi Q8	€ 66, ⁰⁰
* 02.022.11/new		AISIN (Fiat Croma, Lancia Thesis, Renault Espace, Citroen C5/ C3)	€ 64, ⁰⁰	02.022.93/new		Audi 4/6 Avant > 2012, 4G5 transmission	€ 92, ⁰⁰
* 02.022.52/new		Volvo V50	€ 46, ⁰⁰	02.022.94/new		Mercedes Benz, 722.9 transmission	€ 82, ⁰⁰
* 02.022.59/new		BMW 8 gears	€ 92, ⁰⁰	02.022.95/new		TF80 MULTI (Volvo, Alfa Romeo, Cadillac, Ford, Land Rover)	€ 80, ⁰⁰
* 02.022.98/new		BMW 8 gears, ZF transmissions	€ 79, ⁰⁰	02.022.97/new		Mercedes A/B-Class, DCT transmission	€ 78, ⁰⁰
* 02.022.99/new		FIAT 500X, ZF transmissions	€ 15, ⁶⁰	02.022.100		Water/fluid exchanger on Toyota Avensis K311, to be used with rubber hose Ø8	€ 75, ⁰⁰
02.022.61/new		Powershift (Volvo - Ford Focus)	€ 82, ⁰⁰	02.022.101		Water/fluid exchanger on Toyota Corolla, to be used with rubber hose Ø8	€ 72, ⁰⁰
02.022.62/new		Mercedes CLK	€ 60, ⁰⁰	02.022.102		Water/fluid exchanger on Mazda CX-5 (6 AT) to be used with rubber hose Ø8	€ 72, ⁰⁰
02.022.65/new		BMW 330D 180Hp	€ 60, ⁰⁰	02.022.104		Water/fluid exchanger on Nissan CVT (JF011E/ REOF10A)	€ 75, ⁰⁰
02.022.72/new		Jatco for Nissan/Renault/Jeep/ Mitsubishi	€ 75, ⁰⁰	02.022.105		Water/fluid exchanger on Nissan 6CVT	€ 75, ⁰⁰
02.022.73/new		Renault-Nissan < 2003, DPO transmissions	€ 70, ⁰⁰				
02.022.74/new		Audi A8	€ 38, ⁰⁰				
02.022.86/new		Volvo XC90	€ 60, ⁰⁰				

* Included as standard accessories with the purchase of any ATF model

The pictures have merely explanatory purposes and can be changed with no warning

Optional ATF adapters

02.022.107/new		Maserati	€ 89,00	02.022.132		ATF VW Polo	€ 76,00
02.022.108		Citroen C4/C5 PICASSO	€ 89,00	02.022.140/new		ATF piastra Toyota	€ 76,00
02.022.109/new		Renault Espace Application: RE0F06A	€ 78,00	02.022.141/new		ATF Alfa Romeo	€ 83,00
02.022.116		LAND ROVER Application: 7F09HP	€ 130,00	02.022.142/new		ATF Toyota Lexus	€ 76,00
02.022.117		PEUGEOT 3800	€ 115,00	02.022.143/new		ATF Toyota Lexus 2	€ 76,00
02.022.120		BMW/Mini/Volvo Application: AWF8F45 (TG-81LS)	€ 86,00	02.022.144/new		Volvo	€ 92,00
02.022.121/new		ATF Audi SQ5 2013	€ 17,00	02.022.145/new		VAG, Nissan, Suzuki	€ 97,00
02.022.122/new		ATF Range Rover 4.2	€ 97,00	02.022.146/new		Nissan, Citroen, Peugeot, Lancia, Alfa Romeo	€ 97,00
02.022.124/new		ATF Volvo V70	€ 90,00	02.022.147/new		PSA	€ 97,00
02.022.126/new		ATF Ford Range 3.2/Mazda B-Series	€ 70,00	02.022.148/new		Volvo 2	€ 80,00
02.022.131		ATF Škoda	€ 76,00	02.022.149/new		BMW/Mini/Suzuki Aisin	€ 97,00

Additivi per ATF


Cod. 02.000.51

ATF flushing additive, 350 ml

€ 12,00

Cod. 02.000.67

ATF flushing additive, 5 lt

€ 110,00

The pictures have merely explanatory purposes and can be changed with no warning

WS4000

RADIATOR CLEANING UNIT

AUTOMATIC RADIATOR CLEANING UNIT AND REPLACEMENT OF COOLING LIQUID FOR CARS AND COMMERCIAL VEHICLES UP TO 3.5 TONS




- Connection and washing procedure assisted by multilingual software.
Available languages: IT/EN/HR/CZ/DK/D/F/PL/PT/RO/RU/SK/SL/ES/SW/HU)

EXECUTABLE WORK PHASES:

- Air purging from the WS 4000 unit (specific program)
- Washing of the engine cooling circuit (after inserting the specific additive) through the appropriate injector; the washing is timed but with a duration that can be changed by the operator himself
- Replacement of the coolant with return to the internal tank, the status of the liquid is displayed on the two flowmeters on the panel
- Emptying of the internal tank with specific program
- Automatic pump bypass during the washing phase but with the possibility of activating the pump for the operator
- Possibility to print the following data (vehicle number plate, VIN, date/time, km)

TECHNICAL FEATURES

- > **A:** Connection and washing procedure assisted by multilingual software
- > **B:** Injector for the inserting of the specific additive
- > **C:** Status of the liquid is displayed on the two flowmeters on the panel
- > **D:** Printer (vehicle number plate, VIN, date/time, km)
- > 200V 50 Hz power supply
- > **E:** Emptying of the internal tank with specific program
- > Automatic internal liquid heater (3000W)
- > 2 x pressure gauges controlling inlet and outlet pressures
- > 2 x 20lt tanks
- > Maintenance alarm (filter cartridge replacement)
- > **F:** Kit of accessories and adapters for connection in series to the vehicle cooling system
- > The machine is equipped with 2 tanks "ZEUS" + 2 tanks "URAN"



The pictures have merely explanatory purposes and can be changed with no warning

WS4000

Cod. 02.021.10

€ 2.500,00



MADE IN ITALY



Cod. 02.000.98

Decarbonising flushing liquid, 500 ml, suitable for systems up to 8 Lt

€ 10,00



Cod. 02.000.99

Lubricant with anticorrosion protection, 500 ml, suitable for systems up to 8 Lt

€ 8,00

WS 3000 Plus

RADIATOR MAINTENANCE

WS3000 PLUS

Cod. 02.021.05


€ 1.630,00

Radiator cleaning bench. Equipped with a **thermostated heater** to keep the constant temperature while cleaning and replacing coolant liquid



WS3500

Cod. 02.021.11

€ 1.990,⁰⁰

Cod. 02.000.98

Decarbonising flushing liquid, 500 ml, suitable for systems up to 8 Lt

€ 10,⁰⁰

Cod. 02.000.99

Lubricant with anticorrosion protection, 500 ml, suitable for systems up to 8 Lt

€ 8,⁰⁰
WS3500

RADIATOR CLEANING UNIT

RADIATOR CLEANING UNIT AND REPLACEMENT OF COOLING LIQUID FOR CARS AND COMMERCIAL VEHICLES UP TO 3.5 TONS

- > **A:** 2 pressure gauges for inlet and outlet pressures
- > **B:** Injector with rapid coupling on the rear side for "Zeus" decarbonizing additive
- > **C:** 2 flow indicators on the panel
- > **D:** 2 taniche da 20 lt
- > **E:** 200V 50 Hz power supply
- > **F:** Removable internal textil filter
- > **G:** Kit of included couplings and hoses for the connection to the vehicle cooling system
- > Automatic internal liquid heater (3000W)



The pictures have merely explanatory purposes and can be changed with no warning